

Website configuration

Subscore 60

TLS

60

- **HTTPS reachable** Required
An HTTPS service is reachable and completed a TLS handshake.
- **TLS versions** Required · High
The server still offers an outdated TLS version (1.0 or 1.1).
[Recommendation: Disable TLS 1.0 and 1.1 in your web server or CDN configuration and offer only TLS 1.2 and 1.3.](#)
- **Cipher suite** Required
The negotiated cipher suite (TLS_AES_128_GCM_SHA256) provides forward secrecy.
- **Certificate** Required
The certificate is trusted and valid for this host.
- **Certificate key** Required
The certificate uses a strong ECDSA key (256 bits).
- **Certificate signature** Required
The certificate uses a secure signature algorithm (SHA256-RSA).
- **OCSP stapling** Recommended · Low
The server does not staple an OCSP response.
[Recommendation: Enable OCSP stapling on the web server.](#)
- **DANE (HTTPS)** Optional · Low
No DANE (TLSA) records are published for HTTPS.
[Recommendation: With DNSSEC in place, publish TLSA records at `\\_443.\\_tcp.<host>` that match your certificate, and rotate them together with the certificate.](#)
- **Cipher order** Recommended
With TLS 1.3 the server chooses from a small set of uniformly strong suites — ordering is not a concern.
- **Key exchange** Required
The key exchange uses ECDHE with hash SHA256 — forward secrecy is provided.
- **TLS compression** Required
TLS 1.3 has no record compression — the weakness does not apply.
- **Renegotiation** Required
TLS 1.3 removed renegotiation entirely — no attack surface.
- **Extended Master Secret** Recommended
TLS 1.3's key schedule supersedes Extended Master Secret — the weakness does not apply.
- **TLS 1.3 0-RTT (early data)** Optional · Low
The server accepts TLS 1.3 0-RTT (up to 14336 bytes of early data). Ensure anti-replay protection is in place.
[Recommendation: Only enable 0-RTT if your server has effective anti-replay protection and restricts early data to safe, idempotent requests. When in doubt, disable it.](#)